

A BIBLIOGRAPHY OF RECENT WORK
ON LONG RANGE DEPENDENCE

by

Chuanbo Zang
Purdue University

Technical Report #99-12

Department of Statistics
Purdue University
West Lafayette, IN USA

July 1999

A Bibliography of Recent Work on Long Range Dependence

Chuanbo Zang

Department of Statistics
Purdue University
West Lafayette, IN 47907

Abstract

Time series analysis with long range dependence has recently become a very active area of research and new methods are emerging consistently. The present technical report gives an updated list of recent articles in this area. The bibliography is more comprehensive for the period 1995 - 1999, the period since the publication of Beran(1994).

- [1] Abry, P. and Veitch, D. (1998). Wavelet analysis of long-range-dependent traffic. *IEEE Trans. Inform. Th.*, **44**, 2-15.
- [2] Adenstedt, R. K. (1974). On Large-sample estimation for the mean of a stationary random sequence. *Ann. Statist.*, **2**, 1095-1107.
- [3] Agiakloglou, C., Newbold, P., and Wohar, M. (1993). Bias in an estimator of the fractional difference parameter. *J. Time Ser. Anal.*, **14**, 235-246.
- [4] Albers, A. (1978). Testing the mean of a normal population under dependence. *Ann. Statist.*, **6**, 261-269.
- [5] Anantharam, V. (1996). Networks of queues with long-range dependent traffic streams. *Stochastic Nets.*, 237-256.
- [6] Andel, J. (1986). Long memory time series models. *kybernetika*, **22**, 105-123.
- [7] Andel, J. and Gomes, M. (1988). Two-dimensional long-memory models. *kybernetika*, **24**, 1-16.
- [8] Andersen, A.T. and Nielsen, B. F. (1998). A Markovian approach for modelling packet traffic with long-range dependence. *IEEE J. Sel. Area. Commun.*, **16**, 719-732.
- [9] Anderson, O. D. (1990). Small-sample autocorrelation structure for long-memory time series. *J. Oper. Res.*, **41**, 735-754.
- [10] Anderson, O. D. (1991). Interpreting measured serial-correlation in univariate time-series analysis, with an example from the New-York-stock-exchange. *Infor.*, **29**, 44-62.
- [11] Anh, V. V., Duc, H. and Azzi, M. (1997). Modelling anthropogenic trends in air quality data. *J. Air Waste Manage.*, **47**, 66-71.
- [12] Anh, V. V., Angulo, J. M. and Ruiz-Medina, M. D. and Tieng, Q. (1998). Long-range dependence and second-order intermittency of two dimensional turbulence. *Environ. Modell. Softw.*, **13**, 233-238.

- [13] Anh, V. V. and Lunney, K. E. (1995). Parameter-estimation of random-fields with long-range dependence. *Math. Comput. Modell.*, **21**, 67-77.
- [14] Anh, V. V. and Lunney, K. E. (1997). Generalized spectral analysis of fractional random fields. *J. Aust. Math. Soc. A*, **62**, 64-83.
- [15] Anh, V. V., Lunney, K. and Peiris, S. (1997). Stochastic models for characterisation and prediction of time series with long-range dependence and fractality. *Environ. Modell. Softw.*, **12**, 67-73.
- [16] Arcones, M. A. and Yu, B. (1992). Empirical processes under long-range dependence. *Preprint*.
- [17] Arechi, F. T. (1987). Chaos in quantum optics hyperchaos and long memory times. *Phys. Scripta.*, **36**, 911-919.
- [18] Avram, F. and Taqqu, M. S. (1987). Noncentral limit theorems and Appell polynomials. *Ann. Probab.*, **15**, 767-775.
- [19] Azais, J. M. and Lang, G. (1993). Nonparametric-estimation of the long-range dependence exponent (French). *Comp. Rendus. Academ. Sci. Ser. I-Math.*, **316**, 611-614.
- [20] Backus, D. K. and Zin, S. E. (1993). Long-memory inflation uncertainty - evidence from the term structure of interest-rates. *J. Money Credit Bank*, **25**, 681-700.
- [21] Badri, M. A., Al-Mutawa, A. and Murtagy, A. (1998). Neural networks of data inhibiting long memory pattern. *COMPUT. IND. ENG.*, **35**, 551-554.
- [22] Baillie, R. T. and King, M. L. (1996). Editors' introduction: Fractional differencing and long memory processes. *J. Econometrics*, **73**, 1-3.
- [23] Baillie, R.T. (1996). Long memory processes and fractional integration in econometrics. *J. Econometrics*, **73**, 5-59.
- [24] Baillie, R. T. (1998) Real and spurious long-memory properties of stock-market data - Comment. *J. Bus. Econ. Statist.*, **16**, 273-276.

- [25] Barkoulas, J. T., Baum, C. F. and Oguz, G.S. (1998). Stochastic long memory in traded goods prices. *Appl. Econ. Lett.*, **5**, 135-138.
- [26] Baum, C. F., Barkoulas, J. T. and Caglayan, M. (1999). Persistence in international inflation rates. *Southern Econ. J.*, **65**, 900-913.
- [27] Beran, J. (1984). Maximum likelihood estimation for Gaussian processes with long-range dependence. *Abstracts, 16th European Meeting of Statisticians, Marburg, West Germany*, pp. 71.
- [28] Beran, J. (1986). Estimation, testing and prediction for self-similar and related processes. *Ph.D. thesis, ETH Zürich*.
- [29] Beran, J. (1988). Statistical aspects of stationary processes with long-range dependence. *Mimeo Series No.1743, Department of Statistics, University of North Carolina, Chapel Hill, NC*.
- [30] Beran, J. (1989a). A test of location for data with slowly decaying serial correlations. *Biometrika*, **76**, 261-269.
- [31] Beran, J. (1989b). Akaike's model choice criterion, long-range dependence and approximate maximum likelihood estimation. *Tech. Rep., No. 96, Department of Statistics, Texas A&M University*.
- [32] Beran, J. (1991). M-estimators of location for data with slowly decaying serial correlations. *J. Amer. Statist. Assoc.*, **86**, 704-708.
- [33] Beran, J. (1992a). Statistical methods for data with long-range dependence (with Discussion). *Statist. Sci.*, **7**, 404-427.
- [34] Beran, J. (1992b). A goodness-of-fit test for time series with long-range dependence. *J. Roy. Statist. Soc. B*, **54**, 749-760.
- [35] Beran, J. (1993). Fitting long-memory models by generalized linear regression. *Biometrika*, **80**, 817-822.
- [36] Beran, J. (1994a). *Statistics for Long-Memory Processes*. Chapman & Hall, New York.

- [37] Beran, J. (1994b). On a class of M-estimators for Gaussian long-memory models. *Biometrika*, **81**, 755-766.
- [38] Beran, J. (1995). Maximum-likelihood-estimation of the differencing parameter for invertible short and long memory autoregressive integrated moving average models. *J. Roy. Statist. Soc. B*, **57**, 659-672.
- [39] Beran, J., Bhansali, R. J. and Ocker, D. (1998). On unified model selection for stationary and nonstationary short- and long-memory autoregressive processes. *Biometrika*, **85**, 921-934.
- [40] Beran, J. and Ghosh, S. (1990). Goodness of fit tests and long-range dependence. *Directions in Robust Statistics and Diagnostics, Part I* (W. Stahel and S. Weisberg, eds.), IMA Volumes in Mathematics and its Applications, Vol. 33, Springer, pp. 21-33.
- [41] Beran, J. and Ghosh, S. (1991). Slowly decaying correlation, testing normality, nuisance parameters. *J. Amer. Statist. Assoc.*, **86**, 785-791.
- [42] Beran, J. and Ghosh, S. (1998). Root-n-consistent estimation in partial linear models with long-memory errors. *Scand. J. Statist.*, **25**, 345-357.
- [43] Beran, J. and Künsch, H. R. (1985). Location estimators for processes with long-range dependence. *Research report No. 40, Seminar Fur Statistik, ETH Zürich*.
- [44] Beran, J. and Mazzola, G. (1999). Visualizing the relationship between two time series by hierarchical smoothing models. *J. Comput. Graph. Statist.*, **8**, 213-238.
- [45] Beran, J., Sherman, R., Taqqu, M. S. and Willinger, W. (1995). Long-range dependence in variable-bit-rate video traffic. *IEEE Trans. Commun.*, **43**, 1566-1579.
- [46] Beran, J. and Terrin, N. (1994). Estimation of the long-memory parameter, based on a multivariate central limit theorem. *J. Time Ser. Anal.*, **15**, 269-84.
- [47] Beran, J. and Terrin, N. (1996). Testing for a change of the long-memory parameter. *Biometrika*, **83**, 627-638.

- [48] Berger, A. W., Naldi, M., De Giovanni, L. and Villen-Altamirano, M. (1998). Standardization of traffic measurements and models for broadband networks: open issues. *Comput. Networks ISDN Syst.*, **30**, 1327-1340.
- [49] Bhattacharya, R. N. Gupta, V. K. and Waymire, E. (1983). The Hurst effect under trends. *J. Appl. Probab.*, **20**, 649-662.
- [50] Bisaglia, L. and Guegan, D. (1998). A comparison of techniques of estimation in long-memory processes. *Comput. Statist. Data Anal.*, **27**, 61-81.
- [51] Bladt, M. (1994) Multivariate self-similar processes: Second-order theory. *J. Appl. Probab.*, **31**, 139-147.
- [52] Boes, D. C. and Salas-LaCrus, J. D. (1978). Nonstationary of the mean and the Hurst phenomenon. *Water Resources Res.*, **14**, 135-143.
- [53] Bollerslev, T. and Jubinski, D. (1999). Equity trading volume and volatility: Latent information arrivals and common long-run dependencies. *J. Bus. Econ. Statist.*, **17**, 9-21.
- [54] Bollerslev, T. and Mikkelsen, H. O. (1996). Modelling and pricing long memory in stock market volatility. *J. Econometrics*, **73**, 151-184.
- [55] Booth, G., Kaen, F. and Koveos, P. (1982). R/S analysis of foreign exchange rates under two international monetary regimes. *J. Monet. Econ.*, **10**, 407-415.
- [56] Booth, G. G. and Tse, Y. (1995). Long memory in interest-rate futures markets - a fractional cointegration analysis. *J. Futures Markets*, **15**, 573-584.
- [57] Borovkov, A. A. and Sakhnienko, A. U. (1980) On estimates of the expected quadratic risk. *Probab. Math. Statist.*, **15**, 1421-1438.
- [58] Boulos, N. (1951). *Probability in the hydrology of the Nile*. Cairo, Government Press.
- [59] Boxma, O. J. (1996). Fluid queues and regular variation. *Perform Evaluation*, **27**, 699-712.

- [60] Boxma, O. J. and Dumas, V. (1998). Fluid queues with long-tailed activity period distributions. *Comput. Commun.*, **21**, 1509-1529.
- [61] Breidt, F. J., Crato, N. and de Lima, P. (1998). The detection and estimation of long memory in stochastic volatility. *J. Econometrics*, **83**, 325-348.
- [62] Breuer, P. and Major, P. (1983). Central limit theorems for nonlinear functionals of Gaussian fields. *J. Multivar. Anal.*, **13**, 425-441.
- [63] Brichet, F., Roberts, J., Simonian, A. and Veitch, D. (1996). Heavy traffic analysis of a storage model with long range dependent on/off sources. *Queueing Syst.*, **23**, 197-215.
- [64] Brillinger, D. R. and Irizarry, R. A. (1998). An investigation of the second- and higher-order spectra of music. *Signal Process.*, **65**, 161-179.
- [65] Brodsky, J. and, Hurvich, C. M. (1999). Multi-step forecasting for long-memory processes. *J. Forecasting*, **18**, 59-75.
- [66] Burlando, P., Montanari, A. and Rosso, R. (1996). Modelling hydrological data with and without long memory. *Meccanica*, **31**, 87-101.
- [67] Byers, D., Davidson, J. and Peel, D. (1997) Modelling political popularity: An analysis of long-range dependence in opinion pollseries. *J. Roy. Statist. Soc.A*, **160**, 471-490.
- [68] Caporale, G. M., Kalyvitis, S. and Pittis, N. (1994). Persistence in real variables under alternative exchange-rate regimes-some multicountry evidence. *Econ. Lett.*, **45**, 93-102.
- [69] Cappuccio, N., Lubian, D. (1997) Spurious regression between I(1) processes with long-memory errors. *J. Time Ser. Anal.*, **18**, 341-354.
- [70] Carlin, J. B. (1987). Seasonal analysis of economic time series. *Ph.D. thesis, Dept. of Statist., Harvard University*.
- [71] Carlin, J. B., Dempster, P., and Jonas, A. B. (1985). On methods and models for Bayesian time series analysis. *J. Econometrics*, **30**, 67-90.

- [72] Carreras, B. A., Newman, D. E., Van Milligen, B. P. and Hidalgo, C. (1999). Long-range time dependence in the cross-correlation function. *Phys. Plasmas*, **6**, 485-494.
- [73] Carreras, B. A., van Milligen, B. P., Pedrosa, M. A., et al. (1998). Self-similarity of the plasma edge fluctuations. *Phys. Plasmas*, **5**, 3632-3643.
- [74] Casilar, E., Reyes, A., Diaz-Estrella, A. and Sandoval, F. (1998). Characterisation and modelling of VBR video traffic. *Electron. Lett.*, **34**, 968-969.
- [75] Casilar, E., Reyes, A., Diaz-Estrella, A. and Sandoval, F. (1999). Heavy-tailed distribution of scene duration in VBR video. *Electron. Lett.*, **35**, 134-135.
- [76] Challenor, P. G. and Carter, D. J. T. (1994). On the accuracy of monthly means. *J. Atmos. Ocean. Tech.*, **11**, 1425-1430.
- [77] Chambers, M. J. (1996). The estimation of continuous parameter long memory time series models. *Econom. Th.*, **12**, 374-390.
- [78] Chan, N. H. and Palma, W. (1998). State space modelling of long-memory process. *Ann. Statist.*, **26**, 719-740.
- [79] Chan, N. H. and Terrin, N. (1995). Inference for unstable long-memory processes with applications to fractional unit root autoregressions. *Ann. Statist.*, **23**, 1662-1683.
- [80] Chang, C., Yao, D. D. and Zajic, T. (1996). Moderate deviations for queues with long-range dependent input. *Stochastic Nets.*, 275-298.
- [81] Chang, C. S., Yao, D. D. and Zajic, T. (1999). Large deviations, moderate deviations, and queues with long-range dependent input. *Adv. Appl. Probab.*, **31**, 254-278.
- [82] Chang, K. H., Serfozo, R. F. and Szczotka, W. (1998). Treelike queueing networks: Asymptotic stationarity and heavy traffic. *Ann. Appl. Probab.*, **8**, 541-568.
- [83] Chapeau-Blondeau, F. (1998). (max,+) dynamic systems for modelling traffic with long-range dependence. *Fractals*, **6**, 305-311.

- [84] Chen, B. S. and Hou, W. S. (1997). Deconvolution filter design for fractal signal transmission systems: A multiscale Kalman filter bank approach. *IEEE Trans. Signal Process.*, **45**, 1359-1364.
- [85] Chen, Y. Q., Ding, M. Z. and Kelso, J. A. S. (1997). Long memory processes ($1/f(\alpha)$ type) in human coordination. *Phys. Rev. Lett.*, **79**, 4501-4504.
- [86] Cheng, B. and Robinson, P. M. (1991) Density estimation in strongly dependent non-linear time series. *Statist. Sinica*, **1**, 335-359.
- [87] Cheng, B. and Robinson, P. M. (1994). Semiparametric estimation from time series with long-range dependence. *J. Econometrics*, **64**, 335-353.
- [88] Cheong, F. and Lai, R. (1998). A study of the burstiness of combined MPEG video and audio bitstreams. *Comput. Commun.*, **21**, 880-888.
- [89] Cheung, Y. W. (1990). Long memory in foreign exchange rates and sampling properties of some statistical procedures to long memory series. *Ph.D. dissertation, University of Pennsylvania*.
- [90] Cheung, Y. W. (1993). Tests for fractional integration: a Monte Carlo investigation. *J. Time Ser. Anal.*, **14**, 331-345.
- [91] Cheung, Y. W. (1993). Long memory in foreign exchange rates. *J. Bus. Econ. Statist.*, **11**, 93-101.
- [92] Cheung, Y. W. and Diebold, F. (1994). On maximum likelihood estimation of the differencing parameter of fractionally-integrated noise with unknown mean. *J. Econometrics*, **62**, 301-316.
- [93] Chung, C. (1996a). Estimating a generalized long memory process. *J. Econometric*, **73**, 237-259.
- [94] Chung, C. (1996b). A generalized fractionally integrated autoregressive moving-average process. *J. Time Ser. Anal.*, **17**, 111-140.

- [95] Comte, F. (1996). Simulation and estimation of long memory continuous time models. *J. Time Ser. Anal.*, **17**, 19-36.
- [96] Comte, F. and Renault, E. (1996). Long memory continuous models. *J. Econometrics*, **73**, 101-149.
- [97] Comte, F. and Renault, E. (1998). Long memory in continuous-time stochastic volatility models. *Math. Financ.*, **8**, 291-323.
- [98] Conti, M., Gregori, E. and Larsson, A. (1996). Study of the impact of MPEG-1 correlations on video-sources statistical multiplexing. *IEEE J. Sel. Area. Commun.*, **14**, 1455-1471.
- [99] Conti, P. L., Saito, H. and De Giovanni, L. (1998). A robust connection admission control applicable to long range dependence traffic. *IEICE Trans. Commun.*, **E81B**, 849-857.
- [100] Corduas, M. (1997) Indirect inference for fractional time series models. *J. Statist. Comput. Simu.*, **59**, 221-232.
- [101] Cox, D. R. (1984). Long-range dependence: a review. In *Statistics: An Appraisal*, *Proc. 50th Anniversary Conference* (H. A. David and H. T. David, eds.), pp.55-74. Ames: IO: Iowa State University Press.
- [102] Cox, D. R. (1991). Long-range dependence , non-linearity and time irreversibility. *J. Time Ser. Anal.*, **12**, 329-335.
- [103] Cox, D. R. and Townsend, M. W. H. (1947). The use of the correlogram in measuring yarn irregularity. *Proc. Int. Wool Textile Organization, Technical Committee 2*, pp. 28-34.
- [104] Crato, N. and deLima, P. J. F. (1994). Long-range dependence in the conditional variance of stock returns. *Econ. Lett.*, **45**, 281-285.
- [105] Crato, N. and deLima, P. J. F. (1997). On the power of underdifferencing and overdifferencing tests against nearly nonstationary alternatives. *Commun. Stat-Simul. Comput.*, **26**, 1431-1446.

- [106] Crato, N. and Ray, B. (1996). Model selection and forecasting for long-range dependent processes. *J. Forecast.*, **15**, 107-125.
- [107] Crato, N. and Taylor, H. M. (1996). Stationary persistent time series misspecified as nonstationary ARIMA. *Statist. Papers*, **37**, 215-223.
- [108] Csörgö, S. and Mielniczuk, J. (1995a). Distant long-range dependent sums and regression estimation. *Stochastic Process.*, **59**, 143-155.
- [109] Csörgö, S. and Mielniczuk, J. (1995b). Density estimation under long-range dependence. *Ann. Statist.*, **23**, 990-999.
- [110] Csörgö, S. and Mielniczuk, J. (1995c). Nonparametric regression under long-range dependent normal errors. *Ann. Statist.*, **23**, 1000-1014.
- [111] Dahlhaus, R. (1987). Discussion of session on self-similar processes. *Proceedings of the 46th Session of ISI, Tokyo, Book 4*, pp. 258-260.
- [112] Dahlhaus, R. (1989). Efficient Parameter Estimation for Self-similar Processes. *Ann. Statist.*, **17**, 1749-1766.
- [113] Dahlhaus, R. (1995). Efficient location and regression estimation for long range dependent regression models. *Ann. Statist.*, **23**, 1029-1047.
- [114] Daley, D. J. and Vesilo, R. (1997). Long range dependence of point processes, with queueing examples. *Stochastics Process.*, **70**, 265-282.
- [115] Davies, R. B. and Harte, D. S. (1987). Tests for Hurst effect. *Biometrika*, **74**, 95-101.
- [116] Davison, A. C. and Cox, D. R. (1989). Some simple properties of sums of random variables having long-range dependence. *Proc. Roy. Soc. London, series A*, **424**, 255-262.
- [117] Dehling, H. and Taqqu, M. S. (1989). The empirical process of some long-range dependent sequences with an application to U -statistics. *Ann. Statist.*, **17**, 1767-1783.

- [118] Dehling, H. and Taqqu, M. S. (1991). Bivariate symmetric statistics long-range dependent observations. *J. Statist. plann. Infer.*, **28**, 153-165.
- [119] Delgado, M. A. and Robinson, P. M. (1994). New methods for the analysis of long-memory time series: Application to Spanish inflation. *J. Forecasting*, **13**, 97-107.
- [120] Delgado, M. A. and Robinson, P. M. (1996). Optimal spectral kernel for long-range dependent time series. *Statist. Probab. Lett.*, **30**, 37-43.
- [121] Delgado, M. A. and Robinson, P. M. (1996). Optimal spectral bandwidth for long memory. *Statist. Sinica*, **6**, 97-112.
- [122] Deniau, C., Viano, M. C. and Oppenheim, G. (1992). A class of fractional continuous-time processes. *CR Acad. Sci. I-Math.*, **315**, 451-454.
- [123] Deo, R. S. (1997a). Asymptotic theory for certain regression models with long memory errors. *J. Time Ser. Anal.*, **18**, 385-393.
- [124] Deo, R. S. (1997b). Nonparametric regression with long-memory errors. *Statist. Prob. Lett.*, **33**, 89-94.
- [125] Diebold, F. X. and Rudebusch, G. D. (1989). Long memory and persistence in aggregate output. *J. Monet. Econ.*, **24**, 189-209.
- [126] Dobrushin, R. L. (1979). Gaussian and their subordinated self-similar random fields. *Ann. Probab.*, **7**, 1-28.
- [127] Dobrushin, R. L. and Major, P. (1979). Non-central limit theorems for non-linear functionals of Gaussian fields. *Z. Wahr. verw. Geb.*, **50**, 27-52.
- [128] Duffield, N. G. (1996). Economies of scale in queues with sources having power-law large deviation scalings. *J. Appl. Probab.*, **33**, 840-857.
- [129] Duffield, N. G. (1998). Queueing at large resources driven by long-tailed M/G/infinity-modulated processes. *Queueing Syst.*, **28**, 245-266.

- [130] Duffield, N. G. and Oconnell, N. (1995). Large deviations and overflow probabilities for the general single-server queue, with applications. *Math. Proc. Cambridge Philos. Soc.*, **118**, 363-374.
- [131] Efromovich, S. (1999). How to overcome the curse of long-memory errors. *IEEE Trans. Inform. Theory*, **45**, 1735-1741.
- [132] Eichenauer-Herrmann, J. and Grothe, H. (1989). A remark on long-range correlations in multiplicative congruential pseudo random number generators. *Numer. Math.*, **56**, 609-611.
- [133] Eisinga, R., Franses, P. H. and Ooms, M. (1999). Forecasting long memory left-right political orientations. *Int. J. Forecasting*, **15**, 185-199.
- [134] Erramilli, A., Narayan, O. and Willinger, W. (1996). Experimental queueing analysis with long-range dependent packet traffic. *IEEE-ACM Trans. Network.*, **4**, 209-223.
- [135] Ferreira, H. (1995). Extremes of a random number of variables from periodic sequences. *J. Statist. Plann. Infer.*, **45**, 133-141.
- [136] Ferreira, H. (1993). Joint exceedances of high-levels under a local dependence condition. *J. Appl. Probab.*, **30**, 112-120.
- [137] Flandrin, P. (1989). On the spectrum of fractional Brownian motions. *IEEE Trans. Inf. Th.*, **35**, 197-199.
- [138] Flandrin, P. (1992). Wavelet analysis and synthesis of fractional Brownian motion. *IEEE Trans. Inf. Th.*, **38**, 910-917.
- [139] Fox, R. and Taqqu, M. S. (1985). Non-central limit theorems for quadratic forms in random variables having long-range dependence. *Ann. Probab.*, **13**, 428-446.
- [140] Fox, R. and Taqqu, M. S. (1986). Large sample properties of parameter estimates for strongly dependent stationary Gaussian time series. *Ann. Statist.*, **14**, 517-532.
- [141] Fox, R. and Taqqu, M. S. (1987). Central limit theorems for quadratic forms in random variables having long-range dependence. *Probab. Th. Rel. Fields*, **74**, 213-240.

- [142] Franses, P. H. and Ooms, M. (1997). A periodic long-memory model for quarterly UK inflation. *Int. J. Forecast.*, **13**, 117-126.
- [143] Gajek, L. and Mielniczuk, J. (1999). Long- and short-range dependent sequences under exponential subordination. *Statist. Probab. Lett.*, **43**, 113-121.
- [144] Garrett, M. W., Latouche, G., Sherman, R. and Willinger, W. (1993). Fast methods for generating long sequences of data with long-range dependence. *Preprint*.
- [145] Gay, R. and Heyde, C. C. (1990). On a class of random field models which allows long-range dependence. *Biometrika*, **77**, 401-403.
- Geweke, J. (1998). Real and spurious long-memory properties of stock-market data - Comment *J. Bus. Econ. Statist.*, **16**, 269-271.
- [146] Geweke, J. and Porter-Hudak, S. (1983). The estimation and application of long memory time series models. *J. Time Ser. Anal.*, **4**, 221-237.
- [147] Ghosh, M. and Rao, J. N. K. (1994). Small Area Estimation : An Appraisal. *Statist. Sci.*, **9**, 55 - 93.
- [148] Ghosh, S., Beran, J. and Innes, J. (1997). Nonparametric conditional quantile estimation in the presence of long memory. *Student*, **2**, 109-117.
- [149] Giraitis, L. (1983). Convergence of some nonlinear transformations of a Gaussian sequence to self-similar processes (Russian). *Litovsk. Math. Sb.*, **23**, 58-68.
- [150] Giraitis, L. and Koul, H. (1997). Estimation of the dependence parameter in linear regression with long-range dependent errors. *Stoch. Process. Appl.*, **71** 207-224.
- [151] Giraitis, L., Koul, H. L. and Surgailis, D. (1996). Asymptotic normality of regression estimators with long-memory errors. *Statist. Probab. Lett.*, **29**, 317-335.
- [152] Giraitis, L., Leipus, R. and Surgailis, D. (1996). The change-point problem for dependent observations. *J. Statist. Plann. Infer.*, **53**, 297-310.

- [153] Giraitis, L., Robinson, P. M. and Samarov, A. (1997). Rate optimal semiparametric estimation of the memory parameter of the Gaussian time series with long-range dependence. *J. Time Ser. Anal.*, **18**, 49-60.
- [154] Giraitis, L., Robinson, P. M. and Surgailis, D. (1999). Variance-type estimation of long memory. *Stoch. Process. Appl.*, **80**, 1-24.
- [155] Giraitis, L. and Surgailis, D. (1985). Central limit theorems and other limit theorems for functionals of Gaussian processes. *Z. Wahrsch. verw. Geb.*, **70**, 191-212.
- [156] Giraitis, L. and Surgailis, D. (1986). Multivariate Appell polynomials an the central limit theorem. In *Dependence in Probability and Statistics*, (E. Eberlein and M. S. Taqqu, eds.), 21-71. Birkhäuser, Boston.
- [157] Giraitis, L. and Surgailis, D. (1990). A central limit theorem for quadratic forms in strongly dependent linear variables and application to asymptotica normality of Whittle's estimate. *Probab. Th. Rel. Fields*, **86**, 87-104.
- [158] Giraitis, L. and Taqqu, M. S. (1997). Limit theorems for bivariate Appell polynomials .1. Central limit theorems *Probab. Th. Rel. Fields*, **107**, 359-381.
- [159] Giraitis, L. and Taqqu, M. S. (1998). Central limit theorems for quadratic forms with time-domain conditions, *Ann. Probab.*, **26**, 377-398.
- [160] Giraitis, L. and Taqqu, M. S. (1999). Whittle estimator for finite-variance non-Gaussian time series with long memory. *Ann. Statist.*, **27**, 178-203.
- [161] Giraitis, L., Taqqu, M. S. and Terrin, N. (1998). Limit theorems for bivariate Appell polynomials. Part II: Non-central limit theorems. *Probab. Th. Rel. Fields*, **110**, 333-367.
- [162] Glosup, J. (1997). Review of "Statistics for long-memory processes" (Jan Beran). *Technmcs.*, **39**, 105-106.
- [163] Goodman, V. and James Kuelbs, J. (1991). Rates of clustering for some Gaussian self-similar processes. *Probab. Th. Rel. Fields*, **88**, 47-75.

- [164] Graf, H. P. (1983). Long-range correlations and estimation of the self-similarity parameter. *Ph.D. thesis, ETH Zürich*.
- [165] Granger, C. W. J. (1980). Long memory relationships and the aggregation of dynamic models. *J. Econometrics*, **14**, 227-238.
- [166] Granger, C. W. J. and Ding, Z. (1996). Varieties of long memory models. *J. Econometrics*, **73**, 61-77.
- [167] Granger, C. W. J. and Joyeux, R. (1980). An introduction to long-range time series models and fractional differencing. *J. Time Ser. Anal.*, **1**, 15-30.
- [168] Gray, H. L., Zhang, N.-F and Woodward, (1989). On generalized fractional processes. *J. Time Ser. Anal.*, **10**, 233-257.
- [169] Gray, H. L., Zhang, N.-F and Woodward, (1994). On generalized fractional processes-a correction. *J. Time Ser. Anal.*, **15**, 561-562.
- [170] Greene, M. T. and Fielitz, B. D. (1977). Long-term dependence in common stock returns. *J. Financial Econ.*, **4**, 339-349.
- [171] Greene, M. T. and Fielitz, B. D. (1979). The effect of long-term dependence on risk return models of common stock. *Oper. Res.*, **27**, 944-951.
- [172] Grenander, U. (1954). On the estimation of regression coefficients in the case of autocorrelated disturbance. *Ann. Math. Statist.*, **25**, 252-272.
- [173] Grenander, U. (1981). *Abstract Inference*. Wiley, New York.
- [174] Grenander, U. and Rosenblatt, M. (1957). *Analysis of stationary time series*. Wiley, New York.
- [175] Gupta, S. N. (1992). Estimation in long memory time-series models. *Commun. Statist. Theory*, **21**, 1327-1338.
- [176] Hall, P. and Hart, J. D. (1990). Nonparametric regression with long-range dependence. *Stoch. Process. Appl.*, **36**, 339-351.

- [177] Hall, P., Jing, B. Y. and Lahiri, S. N. (1998). On the sampling window method for long-range dependent data. *Statist. Sinica*, **8**, 1189-1204.
- [178] Hall, P., Koul, H. L. and Turlach, B. A. (1997). Note on convergence rates of semi-parametric estimators of dependent index. *Ann. Statist.*, **25**, 1725-1739.
- [179] Hall, P., Lahiri, S. N. and Polzehl, J. (1995). On bandwidth choice in nonparametric regression with both short- and long-range dependent errors. *Ann. Statist.* **23**, 1921-1936.
- [180] Hall, P., Lahiri, S. N. and Truong, Y. K. (1995). On bandwidth choice for density estimation with dependent data. *Ann. Statist.*, **23**, 2241-2263.
- [181] Hampel, F. R. (1987). Data analysis and self-similar processes. *Proceedings of the 46th Session of ISI, Manila, Book 2*, pp. 100-102.
- [182] Hardle, W., Lutkepohl, H. and Chen, R. (1997). A review of nonparametric time series analysis. *Int. Statist. Rev.*, **65**, 49-72.
- [183] Haslett, J. and Raftery, A. E. (1989). Space-time modelling with long-memory dependence: Assessing Ireland's wind power resource. Invited paper with discussion. *J. Appl. Statist.*, **38**, 1-50.
- [184] Hassler, U. and Wolters, J. (1995). Long memory in inflation rates - international evidence. *J. Bus. Econ. Statist.*, **13**, 37-45.
- [185] Haubrich, J. and Lo, A. (1989). The sources and nature of long-range dependence in the business cycle. *NBER Working Paper No. 2951*.
- [186] Hauser, M. A. and Reschenhofer, E. (1995). Estimation of the fractionally differencing parameter with the R/S method. *Comput. Statist. Data Anal.*, **20**, 569-579.
- [187] Heath, D., Resnick, S. and Samorodnitsky, G. (1997). Patterns of buffer overflow in a class of queues with long memory in the input stream. *Ann. Appl. Probab.*, **7**, 1021-1057.

- [188] Heath, D., Resnick, S. and Samorodnitsky, G. (1998). Heavy tails and long range dependence in on/off processes and associated fluid models. *Math. Oper. Res.* **23**, 145-165.
- [189] Heath, D., Resnick, S. and Samorodnitsky, G. (1999). How system performance is affected by the interplay of averages in a fluid queue with long range dependence induced by heavy tails. *Ann. Appl. Probab.*, **9**, 352-375.
- [190] Helland, K. N. and Van Atta, C. W. (1978). The "Hurst phenomenon" in grid turbulence. *J. Fluid. Mech.*, **85**, 573-589.
- [191] Henry, M. and Robinson, P. M. (1996). Bandwidth choice in Gaussian semiparametric estimation of long range dependence. In *Athens Conf. Appl. Probab. Time Ser., Vol. II: Time Ser. Anal. Lecture Notes in Statist.*, Vol. 115 (Robinson, P. M. and Rosenblatt, M., eds.), Springer, New York., 220-232.
- [192] Heyde, C. C. (1985). On some new probabilistic developments of significance to statistics: Martingales, long range dependence, fractals, and random fields. In *A Celebration of Statistics: The ISI Centenary Vol.*, (A. C. Atkinson and S. E. Fienberg, eds.), Springer, New York, pp. 355-368.
- [193] Heyde, C. C. and Gay, R. (1993). Smoothed periodogram asymptotics and estimation for processes and fields with possible long-range dependence. *Stoch. Process. Appl.*, **45**, 169-182.
- [194] Heyde, C. C. and Johnstone, I. M. (1979). On asymptotic posterior normality for stochastic processes. *J. Roy. Statist. Soc. B*, **41**, 184-189.
- [195] Heyde, C. C. and Yang, Y. (1997). On defining long-range dependence. *J. Appl. Probab.*, **34**, 939-944.
- [196] Heyman, D. P. (1997). The GBAR source model for VBR video conferences. *IEEE-ACM Trans. Network.*, **5**, 554-560.

- [197] Heyman, D. P. and Lakshman, T. V. (1996). What are the implications of long-range dependence for VBR-video traffic engineering? *IEEE-ACM Trans. Network.*, **4**, 301-317.
- [198] Hidalgo, J. (1996). Spectral analysis for bivariate time series with long memory. *Econ. Theory*, **12**, 773-792.
- [199] Hidalgo, J. and Robinson, P. M. (1996). Testing for structural change in a long memory environment. *J. Econometrics*, **70**, 159-174.
- [200] Ho, H. C. (1992). On limiting distributions of nonlinear functions of noisy Gaussian sequences. *Stoch. Anal. Appl.*, **10**, 417-430.
- [201] Ho, H. C. (1995). The law of the iterated logarithm for non-instantaneous filters of strongly dependent Gaussian sequences. *J. Th. Probab.*, **8**, 347-360.
- [202] Ho, H. C. (1996). On central and non-central limit theorems in density estimation for sequences of long-range dependence. *Stochastic Process.*, **63**, 153-174.
- [203] Ho, H. C. and Hsing, T. (1996). On the asymptotic expansion of the empirical process of long memory moving average. *Ann. Statist.*, **24**, 992-1024.
- [204] Ho, H. C. and Hsing, T. (1997). Limit theorems for functionals of moving averages. *Ann. Probab.*, **25**, 1636-1669.
- [205] Ho, L. T. H., Pitts, J. M., Samuel, L. G. and Schormans, J. A. (1998). Buffering packetised data: an examination of the crossover effect. *Electron. Lett.*, **34**, 1637-1638.
- [206] Horvàth, L. and Kokoszka, P. (1997). The effect of long-range dependence on change-point estimators. *J. Statist. Plann. Infer.*, **64**, 57-81.
- [207] Horvàth, L. and Shao, Q.-M. (1996). Darling-Erdős-type theorems for sums of Gaussian variables with long range dependence. *Stochastic Process.*, **63**, 117-137.
- [208] Horvàth, L. and Shao, Q.-M. (1999). Limit theorems for quadratic forms with applications to Whittle's estimate. *Ann. Appl. Probab.*, **9**, 146-187.

- [209] Hosking, J. R. M. (1981). Fractional Differencing. *Biometrika*, **68**, 165-176.
- [210] Hosking, J. R. M. (1982). Some models of persistence in time series. In *Time Series Analysis: Theory and Practice 1*, North Holland, New York, 641-654.
- [211] Hosking, J. R. M. (1984). Modelling persistence in hydrological time series using fractional differencing *Water Resources Res.*, **20**, 1898-1908.
- [212] Hosking, J. R. M. (1985). Fractional differencing modelling in hydrology. *Water Resources Bull.*, **21**, 677-682.
- [213] Hosking, J. R. M. (1996). Asymptotic distributions of the sample mean, autocovariances, and autocorrelations of long-memory time series. *J. Econometrics*, **73**, 261-284.
- [214] Hosoya, Y. (1996). The quasi-likelihood approach to statistical inference on multiple time-series with long-range dependence. *J. Econometrics*, **73**, 217-236.
- [215] Hosoya, Y. (1997). A limit theory with long-range dependence and statistical inference on related models. *Ann. Statist.*, **25**, 105-137.
- [216] Hosoya, Y. (1997). Some limit theorems on stationary processes with long range dependence. *Athens Conf. Appl. Probab. Time Ser., Vol. II: Time Ser. Anal. Lecture Notes in Statist., Vol. 115* (Robinson, P. M. and Rosenblatt, M., eds.), Springer, New York., 233-245.
- [217] Hössjer, O. and Mielniczuk, J. (1995). Delta method for long-range dependent observations. *J. Nonp. Statist.*, **5**, 75-82.
- [218] Hudson, W. N. and Mason, J. D. (1982). Operator-self-similar processes in a finite-dimensional space. *Trans. Amer. Math. Soc.*, **273**, 281-297.
- [219] Huelle, A. F. (1993). Long-memory time series models and fractional differencing. *Ph.D. thesis, University of Amsterdam*.
- [220] Hurst, H. E. (1951). Long-term storage capacity of reservoirs. *Trans. Amer. Soc. Civil Engineers*, **116**, 770-799.

- [221] Hurst, H.E. (1955). Methods of using long-term storage in reservoirs. *Proc. Inst. Civil Engin., Part I*, pp. 519-577.
- [222] Hurvich, C. M. and Beltrao, K. I. (1993). Asymptotics for the low-frequency ordinates of the periodogram of a long-memory time series. *J. Time Ser. Anal.*, **14**, 455-472.
- [223] Hurvich, C. M. and Beltrao, K. I. (1994). Automatic semiparametric estimation of the memory parameter of a long-memory time series. *J. Time Ser. Anal.*, **15**, 285-302.
- [224] Hurvich, C. M., Deo, R. and Brodsky, J. (1995). The mean squared error of Geweke and Porter-Hudaks's estimator of the memory parameter of a long memory time series. *Preprint*.
- [225] Hurvich, C. M. and Ray, B. K. (1994). Estimation of the long-memory parameter for nonstationary or noninvertible fractionally differenced integrated processes. *Preprint*.
- [226] Husler, J. (1995). A note on extreme values of locally stationary Gaussian-processes. *J. Statist. Plann. Infer.*, **45**, 203-213.
- [227] Igloi, E. (1994). On periodogram based least-squares estimation of the long memory parameter of farma processes. *Publ. Math-Debrecen*, **44**, 367-380.
- [228] Igloi, E. and Terdik, G. (1999). Bilinear stochastic systems with fractional Brownian motion input. *Ann. Appl. Probab.*, **9**, 46-77.
- [229] Irle, A. On consistency in nonparametric estimation under mixing conditions. *J. Multivar. Anal.*, **60**, 123-147.
- [230] Izquierdo, M. R. and Reeves, D. S. (1999). A survey of statistical source models for variable-bit-rate compressed video. *Multimedia Syst.*, **7**, 199-213.
- [231] Jamin, S., Danzig, P. B. , Shenker, S. J. and Zhang, L. X. (1997). A measurement-based admission control algorithm for integrated service packet networks. *IEEE-ACM Trans. Network.*, **5**, 56-70.
- [232] Janacek, G. (1994) A spectral approach to long memory time series. *Develop. Time Ser. Anal.*, 164-179.

- [233] Jannacek, G. (1994). Estimating d for long and short-memory time-series. *Environmetrics*, **5**, 255-271.
- [234] Jensen, M. J. (1999). Using wavelets to obtain a consistent ordinary least squares estimator of the long-memory parameter. *J. Forecasting*, **18**, 17-32.
- [235] Johnstone, I. M. (1999). Wavelet shrinkage for correlated data and inverse problems: Adaptivity results. *Statist. Sinica*, **9**, 51-83.
- [236] Johnstone, I. M. and Silverman, B. W. (1997) Wavelet threshold estimators for data with correlated noise. *J. Roy. Statist. Soc.B*, **59**, 319-351.
- [237] Karlin, S. and Taylor, H. M. (1975). *A First Course in Stochastic Processes* (2ed ed.). Academic Press, Inc.
- [238] Kashyap, R. L. and Eom, K.-B. (1988). Estimation in long-memory time series model. *J. Time Ser. Anal.*, **9**, 35-41.
- [239] Kass, R. E. and Raftery, A. E. (1995). Bayes factors and model uncertainty. *J. Amer. Statist. Assoc.*, **90**, 773-795.
- [240] Kass, R. E. and Wasserman, L. (1995). A reference Bayesian test for nested hypotheses. *J. Amer. Statist. Assoc.*, **90**, 928-934.
- [241] Kearns, P and Pagan, A. (1997). Estimating the density tail index for financial time series. *Rev. Econ. Statist.*, **79**, 171-175.
- [242] Kelly, O. E., Johnson, D. H., Delgutte, B. and Cariani, P. (1996). Fractal noise strength in auditory-nerve fiber recordings. *J. Acoust. Soc. Amer.*, **99**, 2210-2220.
- [243] Kesten, H. and Spitzer, F. (1979). A limit theorem related to a new class of self-similar processes. *Z. Wahrsch. Verw. Geb.*, **50**, 5-25.
- [244] Khoshnevisan, D. and Lewis, T. M. (1998). A law of the iterated logarithm for stable processes in random scenery. *Stoch. Process. Appl.*, **74**, 89-121.

- [245] Klemes, V. (1974). The Hurst phenomenon: A puzzle? *Water Resources Res.*, **10**, 675-688.
- [246] Klemes, V., Srikanthan, R. and McMahon, T. A. (1981). Long-memory flow models in reservoir analysis: What is their practical value? *Water Resources Res.*, **17**, 737-751.
- [247] Kleptsyna, M. L., Kloeden, P. E. and Anh, V. V. (1998). Linear filtering with fractional Brownian motion. *Stoch. Anal. Appl.*, **16**, 907-914.
- [248] Kokoszka, P. S. (1996). Prediction of infinite variance fractional ARIMA. *Probab. Math. Statist.*, **16**, 65-83.
- [249] Kokoszka, P. and Mikosch, T. (1997) The integrated periodogram for long-memory processes with finite or infinite variance. *Stochastic Process.*, **66**, 55-78.
- [250] Kokoszka, P. S. and Taqqu, M. S. (1996a). Parameter estimation for infinite variance fractional ARIMA. *Ann. Statist.*, **24**, 1880-1913.
- [251] Kokoszka, P. S. and Taqqu, M. S. (1996b). Infinite variance stable moving averages with long memory. *J. Econometrics*, **73**, 79-99.
- [252] Kokoszka, P. S. and Taqqu, M. S. (1997). The asymptotic behavior of quadratic forms in heavy-tailed strongly dependent random variables. *Stochastic Process.*, **66**, 21-40.
- [253] Konstantopoulos, T. and Last, G. (1999). On the use of Lyapunov function methods in renewal theory. *Stoch. Process. Appl.*, **79**, 165-178.
- [254] Konstantopoulos, T. and Lin, S. J. (1998). Macroscopic models for long-range dependent network traffic. *Queueing Syst.*, **28**, 215-243.
- [255] Koong, C. S., Tsui, A. K. and Chan, W.S. (1997). On tests for long memory in Pacific Basin stock returns. *Math. Comput. Simulat.*, **43**, 445-449.
- [256] Koop, G., Ley, E., Osiewalski, J. and Steel, M. F. J. (1997). Bayesian analysis of long memory and persistence using ARFIMA models. *J. Econometrics*, **76**, 149-169.

- [257] Koul, H. L. (1992). M-estimators in linear models with long range dependent errors. *Statist. Probab. Lett.*, **14**, 153-164.
- [258] Koul, H. L. (1996). Asymptotics of M-estimators in non-linear regression with long-range dependence errors. In *Lecture Notes in Statistics, Vol. 115* (Robinson, P. M. and Rosenblatt, M., eds.), Springer, New York.
- [259] Koul, H. L. and Giraitis, L. (1997). Estimation of the dependence parameter in linear regression with long-range dependent error. *Stochastic Process.*, **71**, 207-224.
- [260] Koul, H. L., Giraitis, L. and Surgailis, D. (1996). Asymptotic normality of regression estimators with long memory errors. *Statist. Probab. Lett.*, **29**, 317-335.
- [261] Koul, H. L. and Mukherjee, K. (1993). Asymptotics of R-, MD- and LAD-estimators in linear regression models with long-range dependent errors. *Probab. Th.*, **95**, 535-553.
- [262] Koul, H. L. and Mukherjee, K. (1994). Regression quantiles and related processes under long range dependent errors. *J. Multivar. Anal.*, **51**, 318-337.
- [263] Koul, H. L. and Stute, W. (1998). Regression model fitting with long memory errors. *J. Statist. Plann. Infer.*, **71**, 35-56.
- [264] Koul, H. L. and Surgailis, D. (1997). Asymptotic expansion of M-estimators with long memory errors. *Ann. Statist.*, **25**, 818-850.
- [265] Kouritzin, M. A. (1995). Strong approximation for cross-covariances for linear variables with long-range dependence. *Stoch. Process. Appl.*, **60**, 343-353.
- [266] Koustas, Z. and Veloce, W. (1996). Unemployment hysteresis in Canada: An approach based on long-memory time series models. *APPL. ECON.*, **28**, 823-831.
- [267] Krishnan, K. R. (1996). A new class of performance results for a fractional Brownian traffic model. *Queueing Syst.*, **22**, 277-285.
- [268] Krishnan, K. R. and Meempat, G. (1997). Long-range dependence in VBR video streams and ATM traffic engineering. *Perform Evaluation*, **30**, 45-56.

- [269] Krunz, M. M. and Makowski, A. M. (1998). Modelling video traffic using M/G/infinity input processes: A compromise between Markovian and LRD models. *IEEE J. Sel. Area. Commun.*, **16**, 733-748.
- [270] Künsch, H. (1986). Discrimination between monotonic trends and long range dependence. *J. Appl. Probab.*, **23**, 1025-1030.
- [271] Künsch, H. R. (1987). Statistical aspects of self-similar processes. In *Proc. First World Congress of the Bernoulli Society*, 67-74. VNU Science Press.
- [272] Künsch, H. R. , Beran, J., and Hampel, F. (1993). Contrasts under long-range correlations. *Ann. Statist.*, **21**, 943-964.
- [273] Kurasugi, T., Kobayashi, K. and Takahashi, Y. (1999). A Markovian model of coded video traffic which exhibits long-range dependence in statistical analysis. *J. Oper. Res. Soc. Japan.*, **42**, 1-17.
- [274] Laevens, K. (1997). Power spectral density of on-off sources. *Electron. Lett.*, **33**, 559-561.
- [275] Lahiri, S. N. (1993). On the moving block bootstrap under long-range dependence. *Statist. Probab. Lett.*, **18**, 405-413.
- [276] Lakshman, T. V., Ortega, A. and Reibman, A. R. (1998). VBR video: Tradeoffs and potentials. *Proceed. IEEE*, **86**, 952-973.
- [277] Lee, D. K. C. and Robinson, P. M. (1996). Semiparametric exploration of long memory in stock prices. *J. Statist. Plan. Inf.*, **50**, 155-174.
- [278] Leonenko, N. N. and el'-Bassioni, A.,Kh. (1987). Limit theorems for some characteristics of level overshoot by a Gaussian field with strong dependence. *Th. Probab. Math. Statist.*, **35**, 59-64.
- [279] Leonenko, N and Orsingher, E. (1996). Limit theorems for solutions of the Burgers equation with gaussian and non-Gaussian initial conditions. *Th. Probab. Appl.*, **40**, 294-308.

- [280] Leonenko, N. N., Orsingher, E. and Parkhomenko, V. N. (1996). On the rate of convergence to the normal law for solutions of the burgers equation with singular initial data. *J. Statist. Phys.*, **82**, 915-930.
- [281] Leonenko, N. N. and Portnova, A. (1992). Limit theorem correlogram of Gaussian field with long-range dependence. *Ill-posed problems in natural sciences, TVP Sci. Publ.*
- [282] Leonenko, N. N. and Portnova, A. (1993). Limit theorem correlogram of chi-square field with long-range dependence. *Preprint*
- [283] Leonenko, N. N. and Woyczyński, W. A. (1998). Exact parabolic asymptotics for singular n-D Burgers' random fields: Gaussian approximation. *Stoch. Process. Appl.*, **76**, 141-165.
- [284] Leonenko, N. N. and Woyczyński, W. A. (1998). Scaling limits of solutions of the heat equation for singular non-Gaussian data. *J. Statist. Phys.*, **91**, 423-438.
- [285] Levy, J. B. (1983). High variability and long-range dependence. *MS thesis, Cornell University.*
- [286] Lewis, P. A. W. and Ray, B. K. (1997). Modelling long-range dependence, nonlinearity, and periodic phenomena in sea surface temperatures using TSMARS. *J. Amer. Statist. Assoc.*, **92**, 881-893.
- [287] Li, G.-B. (1995). Identification of fractional differencing autoregressive models. *Commun. Statist. Theory*, **24**, 2635-2643.
- [288] Li, J. S., Wolisz, A. and Popescu-Zeletin, R. (1999). Measurement and performance evaluation of NFS traffic in ATM network. *Comput. Commun.*, **22**, 101-109.
- [289] Li, W. K. and McLeod, A. I. (1986). Fractional time series modelling. *Biometrika*, **73**, 217-221.
- [290] Liu, Z., Nain, P., Towsley, D. and Zhang, Z. L. (1999). Asymptotic behavior of a multiplexer fed by a long-range dependent process. *J. Appl. Probab.*, **36**, 105-118.

- [291] Lo, A. W. (1991). Long-term memory in stock market prices. *Econometrica*, **59**, 1279-1313.
- [292] Lobato, I. N. (1997) Consistency of the averaged cross-periodogram in long memory series. *J. Time Ser. Anal.*, **18**, 137-155.
- [293] Lobato, I. N. (1999). A semiparametric two-step estimator in a multivariate long memory model. *J. Econometrics.*, **90**, 129-153.
- [294] Lobato, I. N. and Robinson, P. M. (1996). Average periodogram estimation of long memory. *J. Econometrics*, **73**, 303-324.
- [295] Lobato, I. N. and Robinson, P. M. (1998). A nonparametric test for $I(0)$. *Rev. Econ. Stud.*, **65**, 475-495.
- [296] Lobato, I. N. and Savin, N. E. (1998). Real and spurious long-memory properties of stock-market data. *J. Bus. Econ. Statist.*, **16**, 261-268.
- [297] Ludena, C. (1995). Estimation of integrals with respect to the logarithm of the spectral density for strongly dependent Gaussian-processes. *Comp. Rendus Academ. Sci. Ser. I-Math.*, **320**, 609-612.
- [298] Lux, T. (1996). Long-term stochastic dependence in financial prices: Evidence from the German stock market. *Appl. Econ. Lett.*, **3**, 701-706.
- [299] Mackisack, M. S. (1996). Review of "Statistics for long-memory processes" (Jan Beran). *Austral. J. Statist.*, **38**, 107-108.
- [300] Maejima, M. (1981). Some sojourn time problems for strong dependent Gaussian processes. *Z. Wahrsch. verw. Geb.*, **57**, 1-14.
- [301] Maejima, M. (1982). Some limit theorems for sojourn times of strongly dependent Gaussian processes. *Z. Wahrsch. verw. Geb.*, **60**, 359-380.
- [302] Maejima, M. (1983a). On a class of self-similar processes. *Z. Wahrsch. verw. Geb.*, **62**, 235-245.

- [303] Maejima, M. (1983b). A self-similar process with nowhere bounded sample paths. *Z. Wahrsch. verw. Geb.*, **65**, 115-119.
- [304] Maejima, M. (1986). A remark on self-similar processes with stationary increments. *Canadian J. Statist.*, **14**, 81-82.
- [305] Maejima, M. and Rachev, S. T. (1987). An ideal metric and the rate of convergence to a self-similar process. *Ann. Probab.*, **15**, 708-727.
- [306] Mandelbrot, B. B. (1975). Limit theorems of the self-normalized range for weakly and strongly dependent processes. *Z. Wahrsch. verw. Geb.*, **31**, 271-285.
- [307] Mandelbrot, B. B. (1977). *Fractals: Form, chance and dimension*. Freeman, San Francisco.
- [308] Mandelbrot, B. B. (1983a). *The fractal geometry of nature*. Freeman, San Francisco.
- [309] Mandelbrot, B. B. (1983b). Fractional Brownian motions and fractional Gaussian noises. *Encyclopedia of Statistical Sciences, S. Kotz and N. Johnson, Vol. 3*, Wiley, New York, pp. 186-189.
- [310] Mandelbrot, B. B. and Taqqu, M. S. (1979). Robust R/S analysis of long run serial correlation. *Proc. 42nd Session of the ISI, Manila, Book 2*, pp.69-99.
- [311] Mandelbrot, B. B. and van Ness, J. W. (1968). Fractional Brownian motions, fractional noises and applications. *SIAM Rev.*, **10**, 422-437.
- [312] Mandelbrot, B. B. and Wallis, J. R. (1968a). Noah, Joseph and operational hydrology. *Water Resources Res.*, **4**, 909-918.
- [313] Mandelbrot, B. B. and Wallis, J. R. (1968b). Robustness of the rescaled range R/S and the measurement of non-cyclic long-run statistical dependence. *Water Resources Res.*, **5**, 967-988.
- [314] Mandelbrot, B. B. and Wallis, J. R. (1969a). Computer experiments with fractional Gaussian noises. *Water Resources Res.*, **5**, 228-267.

- [315] Mandelbrot, B. B. and Wallis, J. R. (1969b). Some long-run properties of geophysical records. *Water Resources Res.*, **5**, 321-340.
- [316] Mandelbrot, B. B. and Wallis, J. R. (1969c). Robustness of the rescaled range R/S in the measurement of noncyclic long run statistical dependence. *Water Resources Res.*, **5**, 967-988.
- [317] Mark, B. L. and Ramamurthy, G. (1998). Real-time traffic characterization for quality-of-service control in ATM networks. *IEICE Trans. Commun.*, **E81B**, 832-839.
- [318] Martin, R. J. (1996). Review of "Statistics for long-memory processes" (Jan Beran). *J. Appl. Statist.*, **23**, 562-562.
- [319] Martin, R. J. and Eccleston, J. A. (1992). A new model for slowly decaying correlations. *Statist. probab. Lett.*, **13**, 129-145.
- [320] Martin, R. J. and Walker, A. M. (1997) A power-law model and other models for long-range dependence. *J. Appl. Probab.*, **34**, 657-670.
- [321] Mathai, A. M. (1992). *Quadratic form in random variables: theory and application*. Dekker, New York.
- [322] Maus, S. and Dimri, V. (1996). Depth estimation from the scaling power spectrum of potential fields? *Geophys. J. Int.*, **124**, 113-120.
- [323] McCoy, E. J. and Walden, A. T. (1996). Wavelet analysis and synthesis of stationary long memory processes. *J. Comput. Graph. Statist.*, **5**, 26-56.
- [324] Meempat, G., Erramilli, A. and Willinger, W. (1997). Engineering aspects of an architecture for non-real-time VBR video services. *Lect. Notes Comput. Sci.*, **1242**, 213-227.
- [325] Mielniczuk, J. (1997). On the asymptotic mean integrated squared error of a kernel density estimator for dependent data. *Statist. Probab. Lett.*, **34**, 53-58.
- [326] Morig, F. (1994). Maximal moment inequalities for stochastic-processes. *Proceed. Amer. Math. Soc.*, **120**, 943-950.

- [327] Morig, F. (1995). Maximal probability-inequalities for stochastic-processes. *Math. Nachr.*, **172**, 239-248.
- [328] Mukherjee, K. (1994). Minimum distance estimation in linear models with long-range dependent errors. *Statist. Probab. Lett.*, **21**, 347-355.
- [329] Mukherjee, K. (1998). On preliminary test and shrinkage estimation in linear models with long-memory errors. *J. statist. Plann. Infer.*, **69**, 319-328.
- [330] Neidhardt, A. L., Huebner, F. and Erramilli, A. (1998). Shaping and policing of fractal traffic. *IEICE Trans. Commun.*, **E81B**, 858-869.
- [331] Ogata, Y. and Abe, K. (1991). Some statistical features of the long-term variation of the global and regional seismic activity. *Int. Statist. Rev.*, **59**, 139-161.
- [332] Pai, J. S. and Ravishanker, N. (1996). Bayesian modelling of ARFIMA processes by Markov chain Monte Carlo methods. *J. Forecasting*, **15**, 63-82.
- [333] Painter, S., Beresford, G. and Paterson, L. (1995). On the distribution of seismic-reflection coefficients and seismic amplitudes. *Geophysics*, **60**, 1187-1194.
- [334] Palma, W. and Chan, N. H. (1997). Estimation and forecasting of long-memory processes with missing values. *J. Forecast.*, **16**, 395-410.
- [335] Parzen, E. (1986). Quantile spectral analysis and long-memory time series. *J. Appl. Probab.*, **23A**, 41-54.
- [336] Peiris, M. and Singh, N. (1996). Predictors for seasonal and nonseasonal fractional integrated ARIMA model. *Biometrical J.*, **38**, 741-752.
- [337] Peng, C.-K., Buldyrev, S. V. Goldberger, A. L., Havlin, S., Sciortino, F., Simons, M. and Stanley, H. E. (1992). Long-range correlations in nucleotide sequence. *Nature*, **356**, 168-170.
- [338] Pengra, D. B., Zhu, D. M. and Dash, J. G. (1991). Surface melting of strained and unstrained layers - KR, AR, AND NE. *Surf. Sci.*, **245**, 125-131.

- [339] Percival, D. B. (1983). The statistics of long-memory processes. *Ph.D. thesis, Department of Statistics, University of Washington, Seattle.*
- [340] Percival, D. B. (1996). Review of "Statistics for long-memory processes" (Jan Beran). *J. Amer. Statist. Assoc.*, **91**, 1378-1379.
- [341] Pesquet-Popescu, B. (1999). Statistical properties of the wavelet decomposition of certain non-Gaussian self-similar processes. *Signal Process.*, **75**, 303-322.
- [342] Petris, G. (1996). Bayesian spectral analysis of long memory time series. *ASA Proceedings of the Section on Bayesian Statistical Science, AmerStat: VA*, 18-23.
- [343] Pham, D. T. and Guégam, D. (1994). Asymptotic normality of the discrete Fourier transform of long memory time series. *Statist. Probab. Lett.*, **21**, 299-309.
- [344] Ramanathan, J. and O. Zeitouni, O. (1991). On the wavelet transform of fractional Brownian motion. *IEEE Trans. Inf. Th.*, **37**, 1156-1158.
- [345] Ravishanker, N. and Ray, B. K. (1997). Bayesian analysis of vector ARFIMA processes. *Aust. J. Statist.*, **39**, 295-311.
- [346] Ray, B. K. (1991). Forecasting long memory processes under misspecification. *ASA Proc. Bus. Econ. Statist. Sect.*, pp. 237-242.
- [347] Ray, B. K. (1993). Modelling long-memory processes for optimal long-range prediction. *J. Time Ser. Anal.*, **18**, 511-526.
- [348] Ray, W. D. (1996). Review of "Statistics for long-memory processes" (Jan Beran). *J. Roy. Statist. Soc.A*, **159**, 180-181.
- [349] Ray, B. and Tsay, R. (1996). Bandwidth selection for nonparametric regression with long-range dependent errors. *Athens Conf. Appl. Probab. Time Ser., Vol. II: Time Ser. Anal. Lecture Notes in Statist.*, Vol. 115 (Robinson, P. M. and Rosenblatt, M., eds.), Springer, New York., 339-351.

- [350] Ray, B., Jarrett, J. and Chen, S. (1994) Long-range dependence in Japanese stock prices. *ASA Proceedings of the Business and Economic Statistics Section. Amer-StatA:VA*, 371-376.
- [351] Ray, B. K. and Tsay, R. (1997) Bandwidth selection for kernel regression with long-range dependent errors. *Biometrika*, **84**, 791-802.
- [352] Reisen, V. A. (1994). Estimation of the fractional difference parameter in the ARIMA(p, d, q) model using the smoothed periodogram. *J. Time Ser. Anal.*, **15**, 335-350.
- [353] Ren, Q. and Kobayashi, H. (1998). Diffusion approximation modelling for Markov modulated bursty traffic and its applications to bandwidth allocation in ATM networks. *IEEE J. Sel. Area. Commun.*, **16**, 679-691.
- [354] Renshaw, E. (1994). The linear spatial-temporal interaction process and its relation to 1/omega-noise. *J. Roy. Statist. Soc. B*, **56**, 75-91.
- [355] Resnick, S. and Samorodnitsky, G. (1997). Performance decay in a single server exponential queueing model with long range dependence. *Oper. Res.*, **45**, 235-243.
- [356] Resnick, S. I. (1997). Heavy tail modelling and teletraffic data. *Ann. Statist.*, **25**, 1805-1849.
- [357] Riedi, R.H., Crouse, M. S., Ribeiro, V. J. and Baraniuk, R. G. (1999). A multifractal wavelet model with application to network traffic. *IEEE Trans. Inform. Th.*, **45**, 992-1018.
- [358] Robinson, G. K. (1991). The Estimation of Random Effects. *Statist. Sci.*, **6**, 15-51.
- [359] Robinson, P. M. (1991a). Nonparametric function estimation for long-memory time series. *Nonparametric and semiparametric methods in econometrics and statistics* (W. Barnett, J. Powell and G. Tauchen ,eds.), Cambridge University Press, New York, pp. 437-457.

- [360] Robinson, P. M. (1991b). Automatic frequency-domain inference on semiparametric and nonparametric models. *Econometrica*, **59**, 1329-1364.
- [361] Robinson, P. M. (1991c). Testing for strong serial correlation and dynamic conditional heteroskedasticity in multiple regression. *J. Econometrics*, **47**, 67-84.
- [362] Robinson, P. M. (1992). Optimal tests of nonstationary hypothesis. *Preprint*.
- [363] Robinson, P. M. (1994a). Time Series with Strong Dependence, In Advances in Econometrics. *Sixth World Congress* (C. A. Sims, Ed.), **1**, 47-95, Cambridge University Press.
- [364] Robinson, P. M. (1994b). Semiparametric analysis of long-memory time series. *Ann. Statist.*, **22**, 515-539.
- [365] Robinson, P. M. (1994c). Rate of convergence and optimal spectral bandwidth for long rang dependence. *Probab. Th.*, **99**, 443-473.
- [366] Robinson, P. M. (1995a). Log-periodogram regression of time series with long-range dependence. *Ann. Statist.*, **23**, 1048-1072.
- [367] Robinson, P. M. (1995b). Gaussian Semiparametric estimation of long range dependence. *Ann. Statist.*, **23**, 1630-1661.
- [368] Robinson, P. M. (1997). Large-sample inference for nonparametric regression with dependent errors. *Ann. Statist.*, **25**, 2054-2083.
- [369] Robinson, P. M. (1998a). Inference-without-smoothing in the presence of nonparametric autocorrelation. *Econometrica*, **66**, 1163-1182.
- [370] Robinson, P. M. (1998b). Real and spurious long-memory properties of stock-market data - Comment. *J. Bus. Econ. Statist.*, **16**, 276-279.
- [371] Robinson, P. M. and, Henry, M. (1999). Long and short memory conditional heteroskedasticity in estimating the memory parameter of levels. *Econom. Theor.*, **15**, 299-336.

- [372] Robinson, P. M. and Hidalgo, F. J. (1997). Time series regression with long-range dependence. *Ann. Statist.*, **25**, 77-104.
- [373] Robinson, P. M. and, Zaffaroni, P. (1998). Nonlinear time series with long memory: a model for stochastic volatility. *J. Statist. Plan. Infer.*, **68**, 359-371.
- [374] Rodrigues, A. P. (1995). Is there long memory of all asset market shocks? Preliminary results. *ASA Proceedings of the Business and Economic Statistics Section. AmerStatA:VA*, 122-127.
- [375] Rogers, L. C. G. (1997). Arbitrage with fractional Brownian motion. *Math. Financ.*, **7**, 95-105.
- [376] Rosenblatt, M. (1984). Stochastic process with short-range and long-range dependence. *Statistics: An Appraisal. Proceedings 50th Anniversary Conference*, (H. D. David and H. T. David, eds.), The Iowa State University Press, pp. 509-520.
- [377] Samarov, A. and Taqqu, M. S. (1988). On the efficiency of the sample mean in long-memory noise. *J. Time Ser. Anal.*, **9**, 191-200.
- [378] Sato, K. (1991). Self-similar processes with independent increments. *Probab. Th. Rel. Fields*, **89**, 285-300.
- [379] Sato, T., Kakizawa, Y. and, Taniguchi, M. (1998). Large deviation results for statistics of short- and long-memory Gaussian processes. *Aust. NZ. J. Statist.*, **40**,: (1) 17-29. MAR 1998
- [380] Schmidt, C. and Tschernig, R. (1993). Identification of fractional ARIMA models in the presence of long memory. *Münchener Wirtschaftswissenschaftliche Beiträge, Nr. 93-04, Ludwig-Maximilians-Universität, Munich*.
- [381] Searle, S. R., Casella, G. and McCulloch, C. E. (1992). *Variance Components*. John Wiley, New York.
- [382] Sethuraman, S, etal (1997). The asymptotic distribution of the maximum likelihood estimator for a vector time series model with long memory. *Statist. Probab. Lett.*, **31**, 285-293.

- [383] Sharma, V. (1998). Some limit theorems for regenerative queues. *Queueing Syst.*, **30**, 341-363.
- [384] Sinai Ya. G. (1976). Self-similar probability distributions. *Th. Probab. Appl.*, **21**, 64-80.
- [385] Smith, R. (1993). Long-range dependence and global warming. In *Statistics for the Environment* (Barnett, V. and Turkman, K. F., eds.), Wiley, New York.
- [386] Smith, R. L. and Chen, F. (1996). Regression in long-memory series. *Athens Conf. Appl. Probab. Time Ser., Vol. II: Time Ser. Anal. Lecture Notes in Statist.*, Vol. 115 (Robinson, P. M. and Rosenblatt, M., eds.), Springer, New York., 378-391.
- [387] Sowell, F. (1992a). Modelling long run behavior with the fractional ARIMA model. *J. Monet. Econ.*, **29**, 277-302.
- [388] Sowell, F. (1992b). Maximum likelihood estimation of stationary univariate fractionally integrated time series models. *J. Econometrics*, **53**, 165-188.
- [389] Surgailis, D. (1981). Convergence of sums of nonlinear functions of moving averages to self-similar processes. *Soviet Math.*, **23**, 247-250.
- [390] Takagi, H. and Nishi, T. (1998). Correlation of interdeparture times in M/G/1 and M/G/1/K queues. *J. Oper. Res. Soc. Japan.*, **41**, 142-151.
- [391] Taqqu, M. S. (1972). Limit theorems for sums of strongly dependent random variables. *Ph.D. thesis, columbia University.*
- [392] Taqqu, M. S. (1975). Weak convergence to fractional Brownian to the Rosenblatt process. *Z. Wahrsch. verw. Geb.*, **31**, 287-302.
- [393] Taqqu, M. S. (1978). A representation for self-similar processes. *Stoch. Process. Appl.*, **7**, 55-64.
- [394] Taqqu, M. S. (1979). Convergence of integrated processes of arbitrary Hermite rank. *Z. Wahrsch. verw. Geb.*, **50**, 53-83.

- [395] Taqqu, M. S. (1986). A bibliographical guide to self-similar processes and long-range dependence. In *Dependence in probability and statistics* (E. Eberlein and M. S. Taqqu, eds.), Birkhäuser, Boston, pp. 137-165.
- [396] Taqqu, M. S. (1987). Random processes with long-range dependence and high variability. *J. Geophys. Res.*, **92**, 9682-9686.
- [397] Taqqu, M. S. (1988). Self-similar processes. *Encyclopedia of Statistical Sciences* (S. Kotz and N. Johnson, eds.), Vol. 8, Wiley, New York, 352-357.
- [398] Taqqu, M. S. (1996). Parameter estimation for infinite variance fractional ARIMA. *Ann. Statist.*, **24**, 1880-1913.
- [399] Taqqu, M. S. and Teverovsky, V. (1997a). Robustness of Whittle-type estimators for time series with long-range dependence. *Commun. Statist. Stoch. Models*, **13**, 723-757.
- [400] Taqqu, M. S. and Teverovsky, V. (1997b) Semiparametric graphical estimation techniques for long-memory data. *Athens Conf. Appl. Probab. Time Ser., Vol. II: Time Ser. Anal. Lecture Notes in Statist.*, Vol. 115 (Robinson, P. M. and Rosenblatt, M., eds.), Springer, New York., 420-432.
- [401] Taqqu, M. S. and Teverovsky, V. (1998). On estimating the intensity of long-range dependence in finite and infinite variance series. In *A Practical Guide to Heavy Tails: Statistical Techniques and Applications* (R. Adler, R. Feldman and M. S. Taqqu, eds.), 177-217.
- [402] Taqqu, M.S., Teverovsky, V. and Willinger, W. (1995). Estimators for long-range dependence: An empirical study. *Fractals*, **3**, 785-798.
- [403] Terrin, N. and Hurvich, C. M. (1994). An asymptotic wiener-ito representation for the low-frequency ordinates of the periodogram of a long memory time-series. *Stoch. Process. Appl.*, **54**, 297-307.
- [404] Terrin, N. and Taqqu, M. S. (1990). Quadratic forms with long-range dependence. *Proc. Vilnus*, **2**, 466-473.

- [405] Terrin, N. and Taqqu, M. S. (1991a). Convergence in distribution of sums of bivariate appell polynomials with long-range dependence. *Probab. Th. Rel.*, **90**, 57-81.
- [406] Terrin, N. and Taqqu, M. S. (1991b). Convergence to a Gaussian limit as the normalization exponent tends to 1/2. *Statist. Probab. Lett.*, **11**, 419-427.
- [407] Teverovsky, V. and Taqqu, M.S. (1996). Testing for long-range dependence in the presence of shifting means or a slowly declining trend, using a variance-type estimator. *Preprint*.
- [408] Tezuka, S. (1994) A unified view of long-period random number generators (STMA V36 4635). *J. Oper. Res. Japan.*, **37**, 211-227.
- [409] Tieslau, M. A., Schmidt, P. and Baillie, R. T. (1996). A minimum distance estimator for long memory process. *J. Econometric*, **71**, 249-264.
- [410] Vamvakos, S. and Anantharam, V. (1998). On the departure process of a leaky bucket system with long-range dependent input traffic. *Queueing Syst.*, **28**, 191-214.
- [411] Veitch, D. and Abry, P. (1999). A wavelet-based joint estimator of the parameters of long-range dependence. *IEEE Trans. Inform. Th.*, **45**, 878-897.
- [412] Velasco, C. (1999). Non-stationary log-periodogram regression. *J. Econometrics*, **91**, 325-371.
- [413] Vervaat, W. (1985). Sample path properties of self-similar processes with stationary increments. *Ann. Probab.*, **13**, 1-27.
- [414] Vlad, M. O. etal (1996). Fractal time, long-range correlations and stretched or compressed exponential survival statistics (STMA V38 2648). *Fractals*, **4**, 59-72.
- [415] Viano, M. C., Deniau, C. and Oppenheim, G. (1994). Continuous-time fractional ARMA process. *Statist. Probab. Lett.*, **21**, 323-336.
- [416] Viano, M. C., Deniau, CI. and Oppenheim, G. (1995). long-range dependence and mixing for discrete time fractional processes. *J. Time Ser. Anal.*, **16**, 323-338.

- [417] Vitale, R.A. (1973). An asymptotically efficient estimate in time series analysis. *Quat. Appl. Math.*, **30**, 421-440.
- [418] Wang, Y. (1996). Function estimation via wavelets skrinkage for long-memory data. *Ann. Statist.*, **24**, 466-484.
- [419] Wang, Y. (1997) Minimax estimation via wavelets for indirect long-memory data. *J. Statist. Plan. Inf.*, **64**, 45-55.
- [420] Whittle, P. (1953). Estimation and information in stationary time series. *Ark. Mat.*, **2**, 423-434.
- [421] Whittle, P. (1956). On the variation of yield variance with plot size. *Biometrika*, **43**, 337-343.
- [422] Whittle, P. (1962). Topographic correlation, power-law covariance functions, and diffusion. *Biometrika*, **49**, 304-314.
- [423] Willinger, W., Taqqu, M. S. , Leland, W. E. and Wilson, D. V. (1995). Self-similarity in high-speed packet traffic - analysis and modelling of ethernet traffic measurements. *Statist. Sci.*, **10**, 67-85.
- [424] Willinger, W., Taqqu, M. S., Sherman, R. and Wilson, D. V. (1996). Self-similarity through high-variability: Statistical analysis of ethernet LAN traffic at the source level. *IEEE-ACM Trans. Network.*, **5**, 71-86.
- [425] Wright, J. H. (1999). A new estimator of the fractionally integrated stochastic volatility model. *Econ. Lett.*, **63**, 295-303.
- [426] Yajima, Y. (1985). On estimation of long-memory time series models. *Austral. J. Statist.*, **27**, 303-320.
- [427] Yajima, Y. (1988). On estimation of a regression model with long-memory stationary errors. *Ann. Statist.*, **16**, 791-807.
- [428] Yajima, Y. (1989a). A central limit theorem of Fourier transforms of strongly dependent stationary processes. *J. Time Ser. Anal.*, **10**, 375-383.

- [429] Yajima, Y. (1989b). Long-memory models and their statistical properties (Japanese). *J. Japan. Statist. S.*, **19**, 219-236.
- [430] Yajima, Y. (1991). Asymptotic properties of the LSE in a regression model with long-memory stationary errors. *Ann. Statist.*, **19**, 158-177.
- [431] Yajima, Y. (1994). Long-memory models in time series analysis (Japanese). *Japan. J. Appl. Statist.*, **23**, 1-19.
- [432] Yajima, Y. (1996). Estimation of the frequency of unbounded spectral densities. *ASA Proceedings of the Business and Economic Statistics Section, AmerStat:VA*, 4-7.
- [433] Zhang, G. (1997) Discriminant analysis for regression models with stationary long-memory disturbances. *J. Multivar. Anal.*, **60**, 177-187.
- [434] Zhu, H. B. and Frost, V. S. (1996). In-service monitoring for cell loss quality of service violations in ATM networks. *IEEE-ACM Trans. Network.*, **4**, 240-248.