


TABLE B.4 Percentiles of the F Distribution.

Entry is $F(A; \nu_1, \nu_2)$ where $P\{F(\nu_1, \nu_2) \leq F(A; \nu_1, \nu_2)\} = A$



$$F(A; \nu_1, \nu_2) = \frac{1}{F(1-A; \nu_2, \nu_1)}$$

TABLE B.4 (continued) Percentiles of the *F* Distribution.

Den. df	A	Numerator df								
		1	2	3	4	5	6	7	8	9
1	.50	1.00	1.50	1.71	1.82	1.89	1.94	1.98	2.00	2.03
	.90	39.9	49.5	53.6	55.8	57.2	58.2	58.9	59.4	59.9
	.95	161	200	216	225	230	234	237	239	241
	.975	648	800	864	900	922	937	948	957	963
	.99	4,052	5,000	5,403	5,625	5,764	5,859	5,928	5,981	6,022
	.995	16,211	20,000	21,615	22,500	23,056	23,437	23,715	23,925	24,091
	.999	405,280	500,000	540,380	562,500	576,400	585,940	592,870	598,140	602,280
2	.50	0.667	1.00	1.13	1.21	1.25	1.28	1.30	1.32	1.33
	.90	8.53	9.00	9.16	9.24	9.29	9.33	9.35	9.37	9.38
	.95	18.5	19.0	19.2	19.2	19.3	19.3	19.4	19.4	19.4
	.975	38.5	39.0	39.2	39.2	39.3	39.3	39.4	39.4	39.4
	.99	98.5	99.0	99.2	99.2	99.3	99.3	99.4	99.4	99.4
	.995	199	199	199	199	199	199	199	199	199
	.999	998.5	999.0	999.2	999.2	999.3	999.3	999.4	999.4	999.4
3	.50	0.585	0.881	1.00	1.06	1.10	1.13	1.15	1.16	1.17
	.90	5.54	5.46	5.39	5.34	5.31	5.28	5.27	5.25	5.24
	.95	10.1	9.55	9.28	9.12	9.01	8.94	8.89	8.85	8.81
	.975	17.4	16.0	15.4	15.1	14.9	14.7	14.6	14.5	14.5
	.99	34.1	30.8	29.5	28.7	28.2	27.9	27.7	27.5	27.3
	.995	55.6	49.8	47.5	46.2	45.4	44.8	44.4	44.1	43.9
	.999	167.0	148.5	141.1	137.1	134.6	132.8	131.6	130.6	129.9
4	.50	0.549	0.828	0.941	1.00	1.04	1.06	1.08	1.09	1.10
	.90	4.54	4.32	4.19	4.11	4.05	4.01	3.98	3.95	3.94
	.95	7.71	6.94	6.59	6.39	6.26	6.16	6.09	6.04	6.00
	.975	12.2	10.6	9.98	9.60	9.36	9.20	9.07	8.98	8.90
	.99	21.2	18.0	16.7	16.0	15.5	15.2	15.0	14.8	14.7
	.995	31.3	26.3	24.3	23.2	22.5	22.0	21.6	21.4	21.1
	.999	74.1	61.2	56.2	53.4	51.7	50.5	49.7	49.0	48.5
5	.50	0.528	0.799	0.907	0.965	1.00	1.02	1.04	1.05	1.06
	.90	4.06	3.78	3.62	3.52	3.45	3.40	3.37	3.34	3.32
	.95	6.61	5.79	5.41	5.19	5.05	4.95	4.88	4.82	4.77
	.975	10.0	8.43	7.76	7.39	7.15	6.98	6.85	6.76	6.68
	.99	16.3	13.3	12.1	11.4	11.0	10.7	10.5	10.3	10.2
	.995	22.8	18.3	16.5	15.6	14.9	14.5	14.2	14.0	13.8
	.999	47.2	37.1	33.2	31.1	29.8	28.8	28.2	27.6	27.2
6	.50	0.515	0.780	0.886	0.942	0.977	1.00	1.02	1.03	1.04
	.90	3.78	3.46	3.29	3.18	3.11	3.05	3.01	2.98	2.96
	.95	5.99	5.14	4.76	4.53	4.39	4.28	4.21	4.15	4.10
	.975	8.81	7.26	6.60	6.23	5.99	5.82	5.70	5.60	5.52
	.99	13.7	10.9	9.78	9.15	8.75	8.47	8.26	8.10	7.98
	.995	18.6	14.5	12.9	12.0	11.5	11.1	10.8	10.6	10.4
	.999	35.5	27.0	23.7	21.9	20.8	20.0	19.5	19.0	18.7
7	.50	0.506	0.767	0.871	0.926	0.960	0.983	1.00	1.01	1.02
	.90	3.59	3.26	3.07	2.96	2.88	2.83	2.78	2.75	2.72
	.95	5.59	4.74	4.35	4.12	3.97	3.87	3.79	3.73	3.68
	.975	8.07	6.54	5.89	5.52	5.29	5.12	4.99	4.90	4.82
	.99	12.2	9.55	8.45	7.85	7.46	7.19	6.99	6.84	6.72
	.995	16.2	12.4	10.9	10.1	9.52	9.16	8.89	8.68	8.51
	.999	29.2	21.7	18.8	17.2	16.2	15.5	15.0	14.6	14.3

TABLE B.4 (continued) Percentiles of the *F* Distribution.

Den. df	A	Numerator df								
		10	12	15	20	24	30	60	120	∞
1	.50	2.04	2.07	2.09	2.12	2.13	2.15	2.17	2.18	2.20
	.90	60.2	60.7	61.2	61.7	62.0	62.3	62.8	63.1	63.3
	.95	242	244	246	248	249	250	252	253	254
	.975	969	977	985	993	997	1,001	1,010	1,014	1,018
	.99	6,056	6,106	6,157	6,209	6,235	6,261	6,313	6,339	6,366
	.995	24,224	24,426	24,630	24,836	24,940	25,044	25,253	25,359	25,464
	.999	605,620	610,670	615,760	620,910	623,500	626,100	631,340	633,970	636,620
2	.50	1.34	1.36	1.38	1.39	1.40	1.41	1.43	1.43	1.44
	.90	9.39	9.41	9.42	9.44	9.45	9.46	9.47	9.48	9.49
	.95	19.4	19.4	19.4	19.4	19.5	19.5	19.5	19.5	19.5
	.975	39.4	39.4	39.4	39.4	39.5	39.5	39.5	39.5	39.5
	.99	99.4	99.4	99.4	99.4	99.5	99.5	99.5	99.5	99.5
	.995	199	199	199	199	199	199	199	199	200
	.999	999.4	999.4	999.4	999.4	999.5	999.5	999.5	999.5	999.5
3	.50	1.18	1.20	1.21	1.23	1.23	1.24	1.25	1.26	1.27
	.90	5.23	5.22	5.20	5.18	5.18	5.17	5.15	5.14	5.13
	.95	8.79	8.74	8.70	8.66	8.64	8.62	8.57	8.55	8.53
	.975	14.4	14.3	14.3	14.2	14.1	14.1	14.0	13.9	13.9
	.99	27.2	27.1	26.9	26.7	26.6	26.5	26.3	26.2	26.1
	.995	43.7	43.4	43.1	42.8	42.6	42.5	42.1	42.0	41.8
	.999	129.2	128.3	127.4	126.4	125.9	125.4	124.5	124.0	123.5
4	.50	1.11	1.13	1.14	1.15	1.16	1.16	1.18	1.18	1.19
	.90	3.92	3.90	3.87	3.84	3.83	3.82	3.79	3.78	3.76
	.95	5.96	5.91	5.86	5.80	5.77	5.75	5.69	5.66	5.63
	.975	8.84	8.75	8.66	8.56	8.51	8.46	8.36	8.31	8.26
	.99	14.5	14.4	14.2	14.0	13.9	13.8	13.7	13.6	13.5
	.995	21.0	20.7	20.4	20.2	20.0	19.9	19.6	19.5	19.3
	.999	48.1	47.4	46.8	46.1	45.8	45.4	44.7	44.4	44.1
5	.50	1.07	1.09	1.10	1.11	1.12	1.12	1.14	1.14	1.15
	.90	3.30	3.27	3.24	3.21	3.19	3.17	3.14	3.12	3.11
	.95	4.74	4.68	4.62	4.56	4.53	4.50	4.43	4.40	4.37
	.975	6.62	6.52	6.43	6.33	6.28	6.23	6.12	6.07	6.02
	.99	10.1	9.89	9.72	9.55	9.47	9.38	9.20	9.11	9.02
	.995	13.6	13.4	13.1	12.9	12.8	12.7	12.4	12.3	12.1
	.999	26.9	26.4	25.9	25.4	25.1	24.9	24.3	24.1	23.8
6	.50	1.05	1.06	1.07	1.08	1.09	1.10	1.11	1.12	1.12
	.90	2.94	2.90	2.87	2.84	2.82	2.80	2.76	2.74	2.72
	.95	4.06	4.00	3.94	3.87	3.84	3.81	3.74	3.70	3.67
	.975	5.46	5.37	5.27	5.17	5.12	5.07	4.96	4.90	4.85
	.99	7.87	7.72	7.56	7.40	7.31	7.23	7.06	6.97	6.88
	.995	10.2	10.0	9.81	9.59	9.47	9.36	9.12	9.00	8.88
	.999	18.4	18.0	17.6	17.1	16.9	16.7	16.2	16.0	15.7
7	.50	1.03	1.04	1.05	1.07	1.07	1.08	1.09	1.10	1.10
	.90	2.70	2.67	2.63	2.59	2.58	2.56	2.51	2.49	2.47
	.95	3.64	3.57	3.51	3.44	3.41	3.38	3.30	3.27	3.23
	.975	4.76	4.67	4.57	4.47	4.42	4.36	4.25	4.20	4.14
	.99	6.62	6.47	6.31	6.16	6.07	5.99	5.82	5.74	5.65
	.995	8.38	8.18	7.97	7.75	7.65	7.53	7.31	7.19	7.08
	.999	14.1	13.7	13.3	12.9	12.7	12.5	12.1	11.9	11.7

TABLE B.4 (continued) Percentiles of the *F* Distribution.

Den. df	A	Numerator df								
		1	2	3	4	5	6	7	8	9
8	.50	0.499	0.757	0.860	0.915	0.948	0.971	0.988	1.00	1.01
	.90	3.46	3.11	2.92	2.81	2.73	2.67	2.62	2.59	2.56
	.95	5.32	4.46	4.07	3.84	3.69	3.58	3.50	3.44	3.39
	.975	7.57	6.06	5.42	5.05	4.82	4.65	4.53	4.43	4.36
	.99	11.3	8.65	7.59	7.01	6.63	6.37	6.18	6.03	5.91
	.995	14.7	11.0	9.60	8.81	8.30	7.95	7.69	7.50	7.34
	.999	25.4	18.5	15.8	14.4	13.5	12.9	12.4	12.0	11.8
9	.50	0.494	0.749	0.852	0.906	0.939	0.962	0.978	0.990	1.00
	.90	3.36	3.01	2.81	2.69	2.61	2.55	2.51	2.47	2.44
	.95	5.12	4.26	3.86	3.63	3.48	3.37	3.29	3.23	3.18
	.975	7.21	5.71	5.08	4.72	4.48	4.32	4.20	4.10	4.03
	.99	10.6	8.02	6.99	6.42	6.06	5.80	5.61	5.47	5.35
	.995	13.6	10.1	8.72	7.96	7.47	7.13	6.88	6.69	6.54
	.999	22.9	16.4	13.9	12.6	11.7	11.1	10.7	10.4	10.1
10	.50	0.490	0.743	0.845	0.899	0.932	0.954	0.971	0.983	0.992
	.90	3.29	2.92	2.73	2.61	2.52	2.46	2.41	2.38	2.35
	.95	4.96	4.10	3.71	3.48	3.33	3.22	3.14	3.07	3.02
	.975	6.94	5.46	4.83	4.47	4.24	4.07	3.95	3.85	3.78
	.99	10.0	7.56	6.55	5.99	5.64	5.39	5.20	5.06	4.94
	.995	12.8	9.43	8.08	7.34	6.87	6.54	6.30	6.12	5.97
	.999	21.0	14.9	12.6	11.3	10.5	9.93	9.52	9.20	8.96
12	.50	0.484	0.735	0.835	0.888	0.921	0.943	0.959	0.972	0.981
	.90	3.18	2.81	2.61	2.48	2.39	2.33	2.28	2.24	2.21
	.95	4.75	3.89	3.49	3.26	3.11	3.00	2.91	2.85	2.80
	.975	6.55	5.10	4.47	4.12	3.89	3.73	3.61	3.51	3.44
	.99	9.33	6.93	5.95	5.41	5.06	4.82	4.64	4.50	4.39
	.995	11.8	8.51	7.23	6.52	6.07	5.76	5.52	5.35	5.20
	.999	18.6	13.0	10.8	9.63	8.89	8.38	8.00	7.71	7.48
15	.50	0.478	0.726	0.826	0.878	0.911	0.933	0.949	0.960	0.970
	.90	3.07	2.70	2.49	2.36	2.27	2.21	2.16	2.12	2.09
	.95	4.54	3.68	3.29	3.06	2.90	2.79	2.71	2.64	2.59
	.975	6.20	4.77	4.15	3.80	3.58	3.41	3.29	3.20	3.12
	.99	8.68	6.36	5.42	4.89	4.56	4.32	4.14	4.00	3.89
	.995	10.8	7.70	6.48	5.80	5.37	5.07	4.85	4.67	4.54
	.999	16.6	11.3	9.34	8.25	7.57	7.09	6.74	6.47	6.26
20	.50	0.472	0.718	0.816	0.868	0.900	0.922	0.938	0.950	0.959
	.90	2.97	2.59	2.38	2.25	2.16	2.09	2.04	2.00	1.96
	.95	4.35	3.49	3.10	2.87	2.71	2.60	2.51	2.45	2.39
	.975	5.87	4.46	3.86	3.51	3.29	3.13	3.01	2.91	2.84
	.99	8.10	5.85	4.94	4.43	4.10	3.87	3.70	3.56	3.46
	.995	9.94	6.99	5.82	5.17	4.76	4.47	4.26	4.09	3.96
	.999	14.8	9.95	8.10	7.10	6.46	6.02	5.69	5.44	5.24
24	.50	0.469	0.714	0.812	0.863	0.895	0.917	0.932	0.944	0.953
	.90	2.93	2.54	2.33	2.19	2.10	2.04	1.98	1.94	1.91
	.95	4.26	3.40	3.01	2.78	2.62	2.51	2.42	2.36	2.30
	.975	5.72	4.32	3.72	3.38	3.15	2.99	2.87	2.78	2.70
	.99	7.82	5.61	4.72	4.22	3.90	3.67	3.50	3.36	3.26
	.995	9.55	6.66	5.52	4.89	4.49	4.20	3.99	3.83	3.69
	.999	14.0	9.34	7.55	6.59	5.98	5.55	5.23	4.99	4.80

TABLE B.4 (continued) Percentiles of the *F* Distribution.

Den. df	A	Numerator df								
		10	12	15	20	24	30	60	120	∞
8	.50	1.02	1.03	1.04	1.05	1.06	1.07	1.08	1.08	1.09
	.90	2.54	2.50	2.46	2.42	2.40	2.38	2.34	2.32	2.29
	.95	3.35	3.28	3.22	3.15	3.12	3.08	3.01	2.97	2.93
	.975	4.30	4.20	4.10	4.00	3.95	3.89	3.78	3.73	3.67
	.99	5.81	5.67	5.52	5.36	5.28	5.20	5.03	4.95	4.86
	.995	7.21	7.01	6.81	6.61	6.50	6.40	6.18	6.06	5.95
	.999	11.5	11.2	10.8	10.5	10.3	10.1	9.73	9.53	9.33
9	.50	1.01	1.02	1.03	1.04	1.05	1.05	1.07	1.07	1.08
	.90	2.42	2.38	2.34	2.30	2.28	2.25	2.21	2.18	2.16
	.95	3.14	3.07	3.01	2.94	2.90	2.86	2.79	2.75	2.71
	.975	3.96	3.87	3.77	3.67	3.61	3.56	3.45	3.39	3.33
	.99	5.26	5.11	4.96	4.81	4.73	4.65	4.48	4.40	4.31
	.995	6.42	6.23	6.03	5.83	5.73	5.62	5.41	5.30	5.19
	.999	9.89	9.57	9.24	8.90	8.72	8.55	8.19	8.00	7.81
10	.50	1.00	1.01	1.02	1.03	1.04	1.05	1.06	1.06	1.07
	.90	2.32	2.28	2.24	2.20	2.18	2.16	2.11	2.08	2.06
	.95	2.98	2.91	2.84	2.77	2.74	2.70	2.62	2.58	2.54
	.975	3.72	3.62	3.52	3.42	3.37	3.31	3.20	3.14	3.08
	.99	4.85	4.71	4.56	4.41	4.33	4.25	4.08	4.00	3.91
	.995	5.85	5.66	5.47	5.27	5.17	5.07	4.86	4.75	4.64
	.999	8.75	8.45	8.13	7.80	7.64	7.47	7.12	6.94	6.76
12	.50	0.989	1.00	1.01	1.02	1.03	1.03	1.05	1.05	1.06
	.90	2.19	2.15	2.10	2.06	2.04	2.01	1.96	1.93	1.90
	.95	2.75	2.69	2.62	2.54	2.51	2.47	2.38	2.34	2.30
	.975	3.37	3.28	3.18	3.07	3.02	2.96	2.85	2.79	2.72
	.99	4.30	4.16	4.01	3.86	3.78	3.70	3.54	3.45	3.36
	.995	5.09	4.91	4.72	4.53	4.43	4.33	4.12	4.01	3.90
	.999	7.29	7.00	6.71	6.40	6.25	6.09	5.76	5.59	5.42
15	.50	0.977	0.989	1.00	1.01	1.02	1.02	1.03	1.04	1.05
	.90	2.06	2.02	1.97	1.92	1.90	1.87	1.82	1.79	1.76
	.95	2.54	2.48	2.40	2.33	2.29	2.25	2.16	2.11	2.07
	.975	3.06	2.96	2.86	2.76	2.70	2.64	2.52	2.46	2.40
	.99	3.80	3.67	3.52	3.37	3.29	3.21	3.05	2.96	2.87
	.995	4.42	4.25	4.07	3.88	3.79	3.69	3.48	3.37	3.26
	.999	6.08	5.81	5.54	5.25	5.10	4.95	4.64	4.48	4.31
20	.50	0.966	0.977	0.989	1.00	1.01	1.01	1.02	1.03	1.03
	.90	1.94	1.89	1.84	1.79	1.77	1.74	1.68	1.64	1.61
	.95	2.35	2.28	2.20	2.12	2.08	2.04	1.95	1.90	1.84
	.975	2.77	2.68	2.57	2.46	2.41	2.35	2.22	2.16	2.09
	.99	3.37	3.23	3.09	2.94	2.86	2.78	2.61	2.52	2.42
	.995	3.85	3.68	3.50	3.32	3.22	3.12	2.92	2.81	2.69
	.999	5.08	4.82	4.56	4.29	4.15	4.00	3.70	3.54	3.38
24	.50	0.961	0.972	0.983	0.994	1.00	1.01	1.02	1.02	1.03
	.90	1.88	1.83	1.78	1.73	1.70	1.67	1.61	1.57	1.53
	.95	2.25	2.18	2.11	2.03	1.98	1.94	1.84	1.79	1.73
	.975	2.64	2.54	2.44	2.33	2.27	2.21	2.08	2.01	1.94
	.99	3.17	3.03	2.89	2.74	2.66	2.58	2.40	2.31	2.21
	.995	3.59	3.42	3.25	3.06	2.97	2.87	2.66	2.55	2.43
	.999	4.64	4.39	4.14	3.87	3.74	3.59	3.29	3.14	2.97

TABLE B.4 (continued) Percentiles of the *F* Distribution.

Den. df	A	Numerator df								
		1	2	3	4	5	6	7	8	9
30	.50	0.466	0.709	0.807	0.858	0.890	0.912	0.927	0.939	0.948
	.90	2.88	2.49	2.28	2.14	2.05	1.98	1.93	1.88	1.85
	.95	4.17	3.32	2.92	2.69	2.53	2.42	2.33	2.27	2.21
	.975	5.57	4.18	3.59	3.25	3.03	2.87	2.75	2.65	2.57
	.99	7.56	5.39	4.51	4.02	3.70	3.47	3.30	3.17	3.07
	.995	9.18	6.35	5.24	4.62	4.23	3.95	3.74	3.58	3.45
	.999	13.3	8.77	7.05	6.12	5.53	5.12	4.82	4.58	4.39
60	.50	0.461	0.701	0.798	0.849	0.880	0.901	0.917	0.928	0.937
	.90	2.79	2.39	2.18	2.04	1.95	1.87	1.82	1.77	1.74
	.95	4.00	3.15	2.76	2.53	2.37	2.25	2.17	2.10	2.04
	.975	5.29	3.93	3.34	3.01	2.79	2.63	2.51	2.41	2.33
	.99	7.08	4.98	4.13	3.65	3.34	3.12	2.95	2.82	2.72
	.995	8.49	5.80	4.73	4.14	3.76	3.49	3.29	3.13	3.01
	.999	12.0	7.77	6.17	5.31	4.76	4.37	4.09	3.86	3.69
120	.50	0.458	0.697	0.793	0.844	0.875	0.896	0.912	0.923	0.932
	.90	2.75	2.35	2.13	1.99	1.90	1.82	1.77	1.72	1.68
	.95	3.92	3.07	2.68	2.45	2.29	2.18	2.09	2.02	1.96
	.975	5.15	3.80	3.23	2.89	2.67	2.52	2.39	2.30	2.22
	.99	6.85	4.79	3.95	3.48	3.17	2.96	2.79	2.66	2.56
	.995	8.18	5.54	4.50	3.92	3.55	3.28	3.09	2.93	2.81
	.999	11.4	7.32	5.78	4.95	4.42	4.04	3.77	3.55	3.38
∞	.50	0.455	0.693	0.789	0.839	0.870	0.891	0.907	0.918	0.927
	.90	2.71	2.30	2.08	1.94	1.85	1.77	1.72	1.67	1.63
	.95	3.84	3.00	2.60	2.37	2.21	2.10	2.01	1.94	1.88
	.975	5.02	3.69	3.12	2.79	2.57	2.41	2.29	2.19	2.11
	.99	6.63	4.61	3.78	3.32	3.02	2.80	2.64	2.51	2.41
	.995	7.88	5.30	4.28	3.72	3.35	3.09	2.90	2.74	2.62
	.999	10.8	6.91	5.42	4.62	4.10	3.74	3.47	3.27	3.10

TABLE B.4 (concluded) Percentiles of the *F* Distribution.

Den. df	A	Numerator df								
		10	12	15	20	24	30	60	120	∞
30	.50	0.955	0.966	0.978	0.989	0.994	1.00	1.01	1.02	1.02
	.90	1.82	1.77	1.72	1.67	1.64	1.61	1.54	1.50	1.46
	.95	2.16	2.09	2.01	1.93	1.89	1.84	1.74	1.68	1.62
	.975	2.51	2.41	2.31	2.20	2.14	2.07	1.94	1.87	1.79
	.99	2.98	2.84	2.70	2.55	2.47	2.39	2.21	2.11	2.01
	.995	3.34	3.18	3.01	2.82	2.73	2.63	2.42	2.30	2.18
	.999	4.24	4.00	3.75	3.49	3.36	3.22	2.92	2.76	2.59
60	.50	0.945	0.956	0.967	0.978	0.983	0.989	1.00	1.01	1.01
	.90	1.71	1.66	1.60	1.54	1.51	1.48	1.40	1.35	1.29
	.95	1.99	1.92	1.84	1.75	1.70	1.65	1.53	1.47	1.39
	.975	2.27	2.17	2.06	1.94	1.88	1.82	1.67	1.58	1.48
	.99	2.63	2.50	2.35	2.20	2.12	2.03	1.84	1.73	1.60
	.995	2.90	2.74	2.57	2.39	2.29	2.19	1.96	1.83	1.69
	.999	3.54	3.32	3.08	2.83	2.69	2.55	2.25	2.08	1.89
120	.50	0.939	0.950	0.961	0.972	0.978	0.983	0.994	1.00	1.01
	.90	1.65	1.60	1.55	1.48	1.45	1.41	1.32	1.26	1.19
	.95	1.91	1.83	1.75	1.66	1.61	1.55	1.43	1.35	1.25
	.975	2.16	2.05	1.95	1.82	1.76	1.69	1.53	1.43	1.31
	.99	2.47	2.34	2.19	2.03	1.95	1.86	1.66	1.53	1.38
	.995	2.71	2.54	2.37	2.19	2.09	1.98	1.75	1.61	1.43
	.999	3.24	3.02	2.78	2.53	2.40	2.26	1.95	1.77	1.54
∞	.50	0.934	0.945	0.956	0.967	0.972	0.978	0.989	0.994	1.00
	.90	1.60	1.55	1.49	1.42	1.38	1.34	1.24	1.17	1.00
	.95	1.83	1.75	1.67	1.57	1.52	1.46	1.32	1.22	1.00
	.975	2.05	1.94	1.83	1.71	1.64	1.57	1.39	1.27	1.00
	.99	2.32	2.18	2.04	1.88	1.79	1.70	1.47	1.32	1.00
	.995	2.52	2.36	2.19	2.00	1.90	1.79	1.53	1.36	1.00
	.999	2.96	2.74	2.51	2.27	2.13	1.99	1.66	1.45	1.00

Source: Reprinted from Table 5 of Pearson and Hartley, *Biometrika Tables for Statisticians*, Volume 2, 1972, published by the Cambridge University Press, on behalf of The Biometrika Society, by permission of the authors and publishers.